

CPT

Iowa Care for Yourself Program

RATE

2015 Reimbursement Schedule

IMPORTANT INFORMATION REGARDING REIMBURSEMENT BY THE CARE FOR YOURSELF PROGRAM

1. If Pap test is performed, the collection of the Pap (CPT codes 99000, Q0091 & Q0111) is included in the office visit reimbursement. The woman is not to be billed for the collection or handling of the specimen.

Description

- 2. Federal funding can not be used to reimburse for any of the following:
 - A. Computer Aided Detection (CAD) in breast cancer screening or diagnostics [SPECIAL FUNDING AVAILABLE TO REIMBURSE FOR CAD (77051 OR 77052) ON FIRST COME, FIRST SERVE BASIS] SEE BELOW
 - B. Treatment of breast cancer, cervical intraepithelial neoplasia or cervical cancer

| Code | OFFICE VISITS | End Notes | 26 | тс | Total |
|-------|---|--------------|-------|--------|--------|
| 99201 | New Patient Visit; problem focused | 3 | | | 40.61 |
| 99202 | New Patient Visit; expanded problem focused | 3 | | | 69.73 |
| 99203 | New Patient Visit; detailed, low complexity | 3 | | | 100.83 |
| 99204 | New Patient Visit; comprehensive history, exam, moderate complexity | 1 | | | 154.51 |
| 99205 | New Patient Visit; comprehensive history, exam, high complexity - paid at 99204 rate | 1,3 | | | 154.51 |
| 99211 | Established Patient Visit, may not require presence of physician | | | | 18.47 |
| 99212 | Established Patient Visit, problem focused | 3,4 | | | 40.61 |
| 99213 | Established Patient Visit, expanded problem focused | 3,4 | | | 68.10 |
| 99214 | Established Patient Visit, comprehensive moderate complexity | 3,4 | | | 100.21 |
| 99215 | Established Patient Visit, comprehensive high complexity - paid at 99214 rate | 3,4 | | | 100.21 |
| 99385 | New Patient Visit (18 - 39 y.o) - paid at 99203 rate | 2 | | | 100.83 |
| 99386 | New Patient Visit (40 - 64 y.o.) - paid at 99203 rate | 2 | | | 100.83 |
| 99387 | New Patient Visit (65+ y.o.) - paid at 99203 rate | 2 | | | 100.83 |
| 99395 | Established Patient Visit (18 - 39 y.o.) - paid at 99213 rate | 2 | | | 68.10 |
| 99396 | Established Patient Visit (40 - 64 y.o.) - paid at 99213 rate | 2,3,4 | | | 68.10 |
| 99397 | Established Patient Visit (65+ y.o.) - paid at 99213 rate | 2 | | | 68.10 |
| CPT | | End | | | |
| Code | Description | Note | 26 | TC | Total |
| G0101 | Cervical or vaginal cancer screening; pelvic and clinical breast exam included. | | | | 35.55 |
| G0123 | Cytopathology, cervical or vaginal (any reporting system) Thin Prep | | | | 27.57 |
| G0124 | Cytopathology, cervical or vaginal (any reporting system) Thin Prep | | | | 30.43 |
| G0141 | Cytopathology, cervical or vaginal - Requiring interpretation by physician | | | | 30.43 |
| G0143 | Cytopathology, cervical or vaginal w manual screening and rescreening-Thin Prep | | | | 27.57 |
| G0144 | Cytopathology, cervical or vaginal w manual screening and rescreening-Thin Prep | | | | 29.08 |
| | Screening cytopathology, cervical or vaginal collected in preservative fluid, automated | | | | |
| G0145 | thin layer preparation, w screening by automated system, under physician supervision - | | | | 29.08 |
| | paid at 88174 rate | | | | |
| G0147 | Cytopathology smears, cervical or vaginal; screening by automated system under | | | | 15.49 |
| G0147 | physician supervision | | | | 15.49 |
| G0148 | Cytopathology smears, cervical or vaginal; screening by automated system w manual | | | | 20.68 |
| G0146 | rescreening under physician supervision | | | | |
| G0202 | Mammography - screening (bilateral) producing direct digital image | | 33.74 | 88.92 | 122.66 |
| G0204 | Mammography - diagnostic (bilateral) producing direct digital image | | 42.24 | 107.18 | 149.42 |
| G0206 | Mammography - diagnostic (unilateral) producing direct digital image | | 33.74 | 84.11 | 117.85 |
| P3000 | Cytopathology, cervical or vaginal (The Bethesda System); manual screening | | | | 14.38 |
| P3001 | Cytopathology, cervical or vaginal - Requiring interpretation by physician | | | | 30.43 |
| | Anesthesia for procedures on the integumentary system on the extremities, anterior | | | | 21.18/ |
| 00400 | trunk and perineum; not otherwise specified. [To be used only in conjunction w CPT | | | | unit |
| | codes: 19101, 19120, or 19125] | | | | |
| 10021 | Fine Needle Aspiration; w/o imaging guidance | | | | 137.64 |
| 10022 | Fine Needle Aspiration; w imaging guidance | | | | 131.35 |

| CPT Code | Description | End Note | 26 | RATE TC Total |
|-------------|--|-------------|----|------------------|
| 11100 | Biopsy of skin, subcutaneous tissue and/or mucous membrane (including simple closure), unless otherwise listed; single lesion | | | 95.12 |
| 11101 | Biopsy of skin, subcutaneous tissue and/or mucous membrane (including simple closure), unless otherwise listed; each separate/additional lesion | | | 30.28 |
| 19000 | Puncture aspiration of cyst of breast | | | 104.37 |
| 19001 | Puncture aspiration of cyst of breast, each additional cyst | | | 25.53 |
| 19081 | Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet), when performed, and imaging of the biopsy specimen, when performed, percutaneous; first lesion, including stereotactic guidance | 5 | | 611.68 |
| 19082 | Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet), when performed, and imaging of the biopsy specimen, when performed, percutaneous; each additional lesion, including stereotactic guidance | 5 | | 499.11 |
| 19083 | Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet), when performed, and imaging of the biopsy specimen, when performed, percutaneous; first lesion, including ultrasound guidance | 5 | | 594.46 |
| 19084 | Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet), when performed, and imaging of the biopsy specimen, when performed, percutaneous; each additional lesion, including ultrasound guidance | 5 | | 480.30 |
| 19085 | Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet), when performed, and imaging of the biopsy specimen, when performed, percutaneous; first lesion, including magnetic resonance guidance | 5 | | 934.76 |
| 19086 | Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet), when performed, and imaging of the biopsy specimen, when performed, percutaneous; each additional lesion, including magnetic resonance guidance | 5 | | 748.62 |
| 19100 | Biopsy of breast; percutaneous, needle core, not using imaging guidance | | | 138.48 |
| 19101 | Biopsy of breast; open, incisional | | | 312.24 |
| 19120 | Excision of cyst, fibroadenoma, or other benign or malignant tumor, aberrant breast tissue, duct lesion, nipple or areolar lesion, open, one or more lesions | | | 452.70 |
| 19125 | Excision of breast lesion identified by pre-operative placement of radiological marker, open; single lesion | | | 502.69 |
| 19126 | Each additional lesion separately identified by a preoperative radiological marker | | | 150.74 |
| 19281 | Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), percutaneous; first lesion, including mammographic guidance | 6 | | 222.55 |
| 19282 | Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), percutaneous; each additional lesion, including mammographic guidance | 6 | | 154.48 |
| 19283 | Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), percutaneous; first lesion, including stereotactic quidance | 6 | | 252.98 |
| 19284 | Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), percutaneous; each additional lesion, including stereotactic guidance | 6 | | 185.56 |
| 19285 | Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), when performed, and imaging of the biopsy specimen, when performed, percutaneous; first lesion, including ultrasound guidance | 6 | | 408.95 |
| 19286 | Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), when performed, and imaging of the biopsy specimen, when performed, percutaneous; each additional lesion, including ultrasound guidance | 6 | | 345.79 |
| 19287 | Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), when performed, and imaging of the biopsy specimen, when performed, percutaneous; first lesion, including magnetic resonance guidance | 6 | | 794.44 |

| CPT Code | Description | End Note | 26 | RATE TC | Total |
|-------------|---|-------------|-------|------------|--------|
| 19288 | Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), when performed, and imaging of the biopsy specimen, when performed, percutaneous; each additional lesion, including magnetic resonance guidance | 6 | | | 638.05 |
| 57420 | Colposcopy of the entire vagina, w cervix if present | | | | 110.02 |
| 57421 | Colposcopy of the entire vagina, w cervix if present; w biopsy(s) of vagina/cervix | | | | 147.12 |
| 57452 | Colposcopy of the cervix including upper/adjacent vagina | | | | 101.86 |
| 57454 | Colposcopy of the cervix including upper/adjacent vagina: w biopsy(s) of the cervix & endocervical curettage | | | | 143.70 |
| 57455 | Colposcopy of the cervix including upper/adjacent vagina: w biopsy(s) of the cervix | | | | 133.90 |
| 57456 | Colposcopy of the cervix including upper/adjacent vagina: w endocervical curettage | | | | 126.12 |
| 57460 | Colposcopy of the cervix including upper/adjacent vagina: w loop electrode biopsy(s) of the cervix | 7 | | | 261.63 |
| 57461 | Colposcopy of the cervix including upper/adjacent vagina: w loop electrode conization of the cervix | 7 | | | 296.37 |
| 57500 | Cervical biopsy, single or multiple, or local exc. of lesion | | | | 118.45 |
| 57505 | Endocervical curettage | | | | 94.70 |
| 57520 | Conization of cervix, w or w/o fulguration, w or w/o dilation & curettage, w or w/o repair; cold knife or laser | 7 | | | 285.53 |
| 57522 | Conization of cervix, w or w/o fulguration, w or w/o dilation & curettage, w or w/o repair; loop electrode excision procedure | 7 | | | 245.90 |
| 58100 | Endometrial sampling (biopsy) w or w/o endocervical sampling (biopsy), w/o cervical dilation, any method (separate procedure) | 7 | | | 101.94 |
| 58110 | Endometrial sampling (biopsy) performed in conjunction w colposcopy | 7 | | | 45.31 |
| 76098 | Radiological examination, surgical specimen | | 7.82 | 7.22 | 15.04 |
| 76641 | Ultrasound, complete eamination of breast including axilla, unilateral | | 35.63 | 64.25 | 99.88 |
| 76642 | Ultrasound, limited examination of breast including axilla, unilateral | | 33.20 | 49.19 | 82.40 |
| 76942 | Ultrasonic guidance for needle placement, imaging supervision, and interpretation | | 32.03 | 24.20 | 56.23 |
| 77051 | Computer-aided detection (computer algorithm analysis of digital image data for lesion detection) with further review for interpretation, with or without digitization of film radiographic images; diagnostic mammography (while special funding lastsfirst come, first serve) | | 2.96 | 4.98 | 7.94 |
| 77052 | Computer-aided detection (computer algorithm analysis of digital image data for lesion detection) with further review for interpretation, with or without digitization of film radiographic images; screening mammography (while special funding lastsfirst come, first serve) | | 2.96 | 4.98 | 7.94 |
| 77053 | Mammary ductogram or galactogram, single duct, radiological supervision and interpretation | | 17.39 | 35.74 | 53.13 |
| 77055 | Mammography - diagnostic (unilateral) | | 34.06 | | |
| 77056 | Mammography - diagnostic (bilateral) | | 42.24 | | 106.17 |
| 77057 | Mammography - screening (bilateral) | | 34.06 | | |
| 77058 | Magnetic resonance imaging, breast, without and/or with contrast material(s); unilateral | 8,9 | | | 490.64 |
| 77059 | Magnetic resonance imaging, breast, without and/or with contrast material(s); bilateral | 8,9 | 79.26 | 406.25 | 485.52 |
| 87624 | Human Papillomavirus (HPV), high-risk types (eg, 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 68) | 10,11 | | | 47.76 |
| 88104 | Cytopathology, fluids, washings or brushings, except cervical or vaginal; smears w/interpretation | | 28.53 | 40.54 | 69.07 |
| 88141 | Cytopathology, cervical or vaginal - Requiring interpretation by physician | | | | 30.43 |
| 88142 | Cytopathology, cervical or vaginal (any reporting system) Thin Prep | | | | 27.57 |
| 88143 | Cytopathology, cervical or vaginal w manual screening and rescreening-Thin Prep | | | | 27.57 |
| 88147 | Cytopathology smears, cervical or vaginal; screening by automated system under physician supervision | | | | 15.49 |

83036 QW Hemoglobin; glycosylated (HbA1c) (CLIA waived)

| CPT | | End | | RATE | |
|----------|--|---------|----------|----------|--------|
| Code | Description | Note | 26 | TC | Total |
| 004.40 | Cytopathology smears, cervical or vaginal; screening by automated system w manual | | | | 00.00 |
| 88148 | rescreening under physician supervision | | | | 20.68 |
| 88160 | Cytopathology, smears, any other source; Screening and interpretation | | 25.74 | 36.06 | 61.80 |
| 88161 | Cytopathology, smears, any other source; Preparation, screening, and interpretation | | 24.78 | 31.25 | 56.03 |
| 88164 | Cytopathology, cervical or vaginal (The Bethesda System); manual screening | | | | 14.38 |
| 88165 | Cytopathology, cervical or vaginal (The Bethesda System); w manual screening and | | | | 14.38 |
| | rescreening under physician supervision | | | | |
| 88172 | Cytopathology, Evaluation of Fine Needle Aspiration to determine specimen adequacy | | 35.74 | 17.48 | |
| 88173 | Cytopathology, Evaluation of Fine Needle Aspiration; interpretation and report | | 69.74 | 70.83 | 140.57 |
| 88174 | Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; screening by automated system, under physician supervision | | | | 29.08 |
| 88175 | Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; screening by automated system and manual rescreening, under physician supervision | | | | 36.05 |
| 88305 | Level IV - Surgical pathology, gross and microscopic examination | | 37.56 | 30.29 | 67.85 |
| 88307 | Level V - Surgical pathology, gross and microscopic examination | | 82.51 | 197.05 | 279.57 |
| 88329 | Pathology consultation during surgery | | | | 54.92 |
| 88331 | Pathology consultation during surgery; first tissue block, w frozen section(s), single specimen | | 61.95 | 34.78 | 96.72 |
| 88332 | Pathology consultation during surgery; each additional tissue block w frozen section | | 30.56 | 12.03 | 42.59 |
| 88341 | Immunohistochemistry or immunocytochemistry, per specimen; each additional single antibody stain (List separately in addition to code of primary procedure) | 12 | 20.96 | 40.86 | 61.82 |
| 88342 | Immunohistochemistry or immunocytochemistry, per specimen; initial single antibody stain procedure | 12 | 35.14 | 48.23 | 83.37 |
| 88343 | Immunohistochemistry or immunocytochemistry, each separately identifiable antibody per block, cytologic preparation, or hematologic smear; each additional separately identifiable antibody per slide - paid at 88341 rate | 12 | 20.96 | 40.86 | 61.82 |
| 88360 | Morpometric analysis, tumor immunonistochemistry (eg, Her-2/neu, estrogen receptor/progesterone receptor), quantitative or semiquantitative, each antibody; | 12 | 53.60 | 71.94 | 125.54 |
| 88361 | Morpometric analysis, in situ hybridization (quantitative or semi-quantitative) each probe; using computer-assisted technology | 12 | 58.06 | 97.89 | 155.95 |
| 88365 | In situ hybridization (eg, FISH), each probe | 12 | 43.17 | 100.13 | 143.30 |
| 88367 | Morpometric analysis, in situ hybridization (quantitative or semi-quantitative) each probe; using computer-assisted technology | 12 | 34.29 | | |
| CPT | | End | | RATE | |
| Code | Description | Note | 26 | TC | Total |
| | | | | | |
| _ | woman receiving breast and cervical cancer screening is eligible for heart disease | | - | | |
| | h the coordinator of your local program to see if the woman you are providing servi | ices to | s eligil | ole. A w | oman |
| | services for which she is not eligible will be responsible for the charges. | | | | 0.00 |
| 36415 | Collection of venous blood by venipuncture | 3,4 | | | 3.00 |
| 80061 | Lipid panel (only after nine-hour fast) | 3,4 | | | 18.22 |
| | Lipid panel (CLIA waived) (only after nine-hour fast) | 3,4 | | | 18.22 |
| 82947 | Glucose; quantitative, blood (except reagent strip) (only after nine-hour fast) | | | | 5.12 |
| 82947 QW | fast) | | | | 5.12 |
| 82948 | Glucose; quantitative, blood reagent strip | | | | 4.31 |
| 83036 | Hemoglobin; glycosylated (HbA1c) | | | | 13.21 |

13.21

| END NO | TES: |
|---------------|--|
| 1 | All consultations should be billed through the standard "new" patient office visit CPT codes. Consultations billed as |
| | 99204 or 99205 must meet the criteria for these codes. |
| 2 | The type and duration of office visits should be appropriate to the level of care necessary for accomplishing screening |
| | and diagnostic follow-up with the Iowa CFY Program. Reimbursement rates should not exceed those published by |
| | Medicare. 9938X codes shall be reimbursed at the 99203 rate and 9939X codes shall be reimbursed at the 99213 |
| 3 | One heart disease risk screening may be conducted in a 12 - 18 month period. It must be conducted during the breast |
| | and cervical cancer screening office visit. Billing may not be separate. |
| 4 | One follow-up cardiovascular diagnostic visit per year may be billed for a participant with an abnormal or alert value |
| | blood pressure measurement and/or an alert value glucose or A1C measurement at baseline screening. Care for |
| | Yourself/WISEWOMAN will not pay for additional testing at this visit. |
| 5 | Codes 19081-19086 are to be used for breast biopsies that include image guidance, placement of localization device, |
| | and imaging of specimen. These codes should not be used in conjuction with 19281-19288. |
| 6 | Code 19281-19288 are for image guidance placement of localization device without image-guided biopsy. These |
| | codes should not be used in conjunction with 19081-19086. |
| 7 | A LEEP or conization of the cervix may be reimbursed based on ASCCP recommendations as a diagnostic |
| | procedure for Pap results HSIL, AGC or AIS. To preauthorize for reimbursement call 515.242.6200. Breast MRI can be reimbursed by the CFY Program in conjuction with a mammogram when a participant has (a): |
| 8 | - BRCA mutation |
| | - First-degree relative who is a BRCA carrier |
| | - Lifetime risk of 20-25% or greater as defined by risk assessment models such as BRCAPRO that are largely |
| | dependent on family history |
| | - Areas of concern on a mammogram that need better assessment |
| | - Past history of breast cancer (completed treatment) and needs evaluation |
| | To preauthorize for reimbursement call 515.242.6200. |
| 9 | Breast MRI can not be reimbursed by the CFY Program for a participant, if the breast MRI is done: |
| | - Alone as a breast cancer screening tool |
| | - To assess the extent of disease in a participant already diagnosed with breast cancer |
| | To preauthorize for reimbursement call 515.242.6200. |
| | |
| 10 | HPV DNA testing is a reimbursable procedure if used for: |
| | - Screening in conjunction with Pap testing |
| | - Follow-up of an abnormal Pap result |
| | - Surveillance as per ASCCP guidelines |
| | - High-risk HPV DNA panel testing only |
| | The Program will allow for reimbursement of Cervista HPV HR at the same rate as the Digene Hybrid-Capture 2 HPV |
| | DNA Assay. |
| 11 | HPV DNA testing is not reimbursable if used for: |
| | - An adjunctive screening test to the Pap for women under 30 years of age |
| 40 | - Reimbursement of genotyping (e.g., Cervista HPV 16/18). |
| 12 | Codes 88341, 88342, 88343, 88360, 88361, 88365 and 88367 are to be billed to the <i>CFY</i> Program <u>if</u> the woman is |
| | not going to receive ongoing Medicaid for reimbursement of treatment. |

CFY BCC AND WW CPT CODES - UPDATED 01/22/2015